

What is claimed is:

1. A portable radio device comprising:  
a flat lid having on a surface thereof a  
concave reflecting member having a predetermined  
curvature; and  
5 a small-size display device having an  
information display function for projecting light rays of  
a displayed image;  
said lid and said display device being  
adjustable in their positional relationship for applying  
10 light rays of a displayed image projected from said  
display device to said concave reflecting member and  
reflecting the light rays at an enlarged scale from said  
concave reflecting member.
2. A portable radio device according to claim 1,  
for use as a portable telephone set.
3. A portable radio device according to claim 1,  
further comprising:  
a casing;  
said flat lid being angularly movably coupled  
5 to an end of said casing by a hinge mechanism;  
said small-size display device being  
positioned with respect to said lid such that when said  
lid is angularly moved and held at a given angle, light

rays of a displayed image projected from said display  
10 device is applied to said concave reflecting member and  
reflected at an enlarged scale from said concave  
reflecting member.

4. A portable radio device according to claim 3,  
wherein said small-size display device is angularly  
movable for positional adjustment.

5. A portable radio device according to claim 3,  
for use as a portable telephone set.

6. A portable radio device according to claim 3,  
wherein said small-size display device is mounted on said  
casing.

7. A portable radio device according to claim 6,  
wherein said small-size display device is angularly  
movable for positional adjustment.

8. A portable radio device according to claim 3,  
wherein said small-size display device is mounted on said  
flat lid.

9. A portable radio device according to claim 1,  
further comprising:

a casing; and  
a module casing detachably connected to said  
5 casing;

said small-size display device being mounted  
in said module casing, said flat lid being angularly  
movably coupled to an end of said module casing by a  
hinge mechanism.

10. A portable radio device according to claim 9,  
wherein said module casing has an external interface  
connector, and said casing has a connector which  
electrically connects said casing to said external  
5 interface connector, said module casing being  
structurally connected to said casing by said connector.

11. A portable radio device according to claim 9,  
wherein said small-size display device is angularly  
movable for positional adjustment.

12. A portable radio device according to claim 9,  
for use as a portable telephone set.